

App. No. 10/709513  
Reply to Office action dated 4/6/2005  
Page 2

## IN THE CLAIMS

### Amendments To The Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

### Listing of Claims:

1. (Currently amended) An intake device for an off-road vehicle comprising:  
an intake pipe;  
an air cleaner case in fluid communication with the intake pipe, the case having a width;  
a connection pipe in fluid communication with the air cleaner case;  
a carburetor attached to the connection pipe;  
a dead space between the air cleaner case and the carburetor, the space being located and to a side of the connection pipe ~~and having a width of the air cleaner case;~~  
a first resonator attached to the intake pipe; and  
a second resonator attached to the connection pipe and disposed in the dead space,  
and  
the first and second resonators ~~being~~ are each disposed within ~~a width equal to the~~  
width of the air cleaner case.
2. (Cancelled).
3. (Currently amended) The intake device of claim 1, wherein the first resonator and the second resonator reduce intake sound levels.
4. (Original) The intake device of claim 3, wherein the first resonator reduces intake sound levels at a frequency range different than the second resonator.
5. (Cancelled).

App. No. 10/709513  
Reply to Office action dated 4/6/2005  
Page 3

6. (Cancelled).

7. (Original) The intake device of claim 1, further comprising an air cleaner disposed within the air cleaner case, wherein the air cleaner is attached to the intake pipe.

8. (Cancelled).

9. (Cancelled).

10. (Currently amended) An intake device for an off-road vehicle comprising:  
an intake pipe;  
an air cleaner case in fluid communication with the intake pipe, the case having a width;  
a connection pipe in fluid communication with the air cleaner case;  
a carburetor attached to the connection pipe; and  
a dead space between the air cleaner case and the carburetor; an inlet opening and having a width of the air cleaner case;  
a first resonator attached to the intake pipe; and  
a second resonator attached to the connection pipe and located within the space;  
wherein the first resonator is located at a side of the intake pipe in the dead space between the air cleaner and an inlet opening and the first and second resonators are each disposed within the a width equal to a width of the air cleaner case.

11. (Cancelled)

12. (Cancelled)

13. (Previously presented) The intake device of claim 10, wherein the first resonator reduces intake sound levels at a frequency range different than the second resonator.

App. No. 10/709513  
Reply to Office action dated 4/6/2005  
Page 4

14. (Cancelled)

15. (Previously presented) The intake device of claim 10, wherein the second resonator is disposed in front of the air cleaner case and to the side of the connection pipe.

16. (Cancelled)

17. (Cancelled)